


(JIS SS400 : 旧 JIS SS41)



### 特 長

- 引張強さ 400N/mm<sup>2</sup> (41kgf/mm<sup>2</sup>) 以上の炭素鋼 (一般構造用圧延鋼材) です。
- 厳選した鋼材から製作した標準プレートです。


### 硬 さ

116 ~ 150HB

### テクニカルデータ

144 ページをご覧ください。

### 精度規格



### ●Tの寸法許容差

L	許容差
300 以下	+0.1 ~ +0.2
300 を超え 600 以下	+0.15 ~ +0.25
600 を超え 1000 以下	+0.2 ~ +0.3

- 厚さ (T) の均一度……100mm につき 0.008

- Tの両面の平面度 (100mm につき)

T	L	
	300以下	300を超え1000以下
8 以上 10 以下	0.020	0.040
10 を超え 20 以下	0.015	0.020
20 を超え 40 以下	0.010	0.015
40 を超え 70 以下	0.008	0.010

- 基準面の直角度……100mm につき 0.008

### アプリケーション (オプション)

Tの寸法許容差を下表のように変更できます。

T寸法許容差変更記号	Tの寸法許容差	適用サイズ	価格	納期
AP	±0.05	規格表に掲載しているサイズ	規格品と同額	翌日または翌々日* AP, AP1指示なし→4ページ参照
AP1	0~+0.1			

\*アプリケーション品の納期は製品サイズによって3日目の発送となる場合があります。

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
30	300		●		●		●		●
			●		●		●		●
			●		●		●		●
60	60	●	●	●	●	●	●	●	●
	80	●	●	●	●	●	●	●	●
	100		●		●		●		●
	500	●	●	●	●	●	●	●	●
	600						●		●
63	63	●	●	●	●	●	●	●	●
	80	●	●	●	●	●	●	●	●
80	80	●	●	●	●	●	●	●	●
	100	●	●	●	●	●	●	●	●
	125	●	●	●	●	●	●	●	●
	150	●	●	●	●	●	●	●	●
	160	●	●	●	●	●	●	●	●
	190								●
	200	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●
	230								●
	250	●	●	●	●	●	●	●	●
	280								●
	300	●	●	●	●	●	●	●	●
	320								●
380								●	
500	●	●	●	●	●	●	●	●	
600								●	
100	100	●	●	●	●	●	●	●	●
	125	●	●	●	●	●	●	●	●
	150	●	●	●	●	●	●	●	●
	160	●	●	●	●	●	●	●	●
	180	●	●	●	●	●	●	●	●
	190								●
	200	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●
	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280								●
	300	●	●	●	●	●	●	●	●
	320								●
	350	●	●	●	●	●	●	●	●
	380								●
400	●	●	●	●	●	●	●	●	
420								●	
500	●	●	●	●	●	●	●	●	
600		●	●			●		●	

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
								30	300
	●							40	
	●							50	
●	●	●	●		●	●		60	60
●	●	●	●		●	●			80
	●								100
●	●	●	●		●	●			500
	●	●	●		●				600
●	●	●	●		●	●		63	63
●	●	●	●		●	●			80
●	●	●	●		●	●	●	80	80
●	●	●	●		●	●	●		100
●	●	●	●		●	●	●		125
●	●	●	●		●	●	●		150
●	●	●	●		●	●	●		160
	●	●	●						190
●	●	●	●		●	●	●		200
●	●	●	●		●	●	●		210
	●	●	●						230
●	●	●	●		●	●	●		250
	●	●	●						280
●	●	●	●		●	●	●		300
	●	●	●						320
	●	●	●					380	
●	●	●	●		●	●	●	500	
	●	●	●		●	●	●	600	
●	●	●	●		●	●	●	100	100
●	●	●	●		●	●	●		125
●	●	●	●		●	●	●		150
●	●	●	●		●	●	●		160
●	●	●	●		●	●	●		180
	●	●	●						190
●	●	●	●		●	●	●		200
●	●	●	●		●	●	●		210
●	●	●	●		●	●	●		230
●	●	●	●		●	●	●		250
	●	●	●						280
●	●	●	●		●	●	●		300
	●	●	●						320
●	●	●	●		●	●	●		350
	●	●	●						380
●	●	●	●		●	●	●	400	
	●	●	●					420	
●	●	●	●		●	●	●	500	
	●	●	●		●	●	●	600	

注文方法 PP-SS 60×80×10 N<T寸法許容差変更記号> 5

鋼種 W L T 変更の場合のみ指示。詳細は22ページ参照 枚数

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
125	125	●	●	●	●	●	●	●	●
	140								●
	150	●	●	●	●	●	●	●	●
	160	●	●	●	●	●	●	●	●
	180	●	●	●	●	●	●	●	●
	190								●
	200	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●
	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	320								●
	350	●	●	●	●	●	●	●	●
	380								●
	400	●	●	●	●	●	●	●	●
420								●	
450	●	●	●	●	●	●	●	●	
500	●	●	●	●	●	●	●	●	
550								●	
600		●	●			●		●	
140	140								●
	160								●
	200								●
150	150	●	●	●	●	●	●	●	●
	180	●	●	●	●	●	●	●	●
	200	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●
	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	320	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●
450	●	●	●	●	●	●	●	●	
500	●	●	●	●	●	●	●	●	
600						●		●	
160	160	●	●	●	●	●	●	●	●
	190								●
	200	●	●	●	●	●	●	●	●
	210								●
	220								●
	230								●
250	●	●	●	●	●	●	●	●	

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
●	●	●	●		●	●	●	125	125
	●	●							140
●	●	●	●		●	●	●		150
●	●	●	●		●	●	●		160
●	●	●	●		●	●	●		180
	●	●							190
●	●	●	●		●	●	●		200
●	●	●	●		●	●	●		210
●	●	●	●		●	●	●		230
●	●	●	●		●	●	●		250
●	●	●	●		●	●	●		280
●	●	●	●		●	●	●		300
	●	●	●						320
●	●	●	●		●	●	●		350
	●	●	●						380
●	●	●	●		●	●	●		400
	●	●	●					420	
●	●	●	●		●	●	●	450	
●	●	●	●		●	●	●	500	
	●	●	●		●	●	●	550	
	●	●	●		●	●	●	600	
	●	●	●					140	140
	●	●	●						160
	●	●	●						200
●	●	●	●		●	●	●		150
●	●	●	●		●	●	●	180	
●	●	●	●		●	●	●	200	
●	●	●	●		●	●	●	210	
●	●	●	●		●	●	●	230	
●	●	●	●		●	●	●	250	
●	●	●	●		●	●	●	280	
●	●	●	●		●	●	●	300	
●	●	●	●		●	●	●	320	
●	●	●	●		●	●	●	350	
●	●	●	●		●	●	●	400	
●	●	●	●		●	●	●	450	
●	●	●	●		●	●	●	500	
●	●	●	●		●	●	●	600	
●	●	●	●		●	●	●	160	160
	●	●	●						190
●	●	●	●		●	●	●		200
	●	●	●						210
	●	●	●						220
●	●	●	●		●	●	●		230
●	●	●	●		●	●	●	250	

注文方法

PP-SS

125×150×15

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
160	280								●
	300	●	●	●	●	●	●	●	●
	320								●
	350	●	●	●	●	●	●	●	●
	380								●
	400	●	●	●	●	●	●	●	●
	450	●	●	●	●	●	●	●	●
	500	●	●	●	●	●	●	●	●
	550								
	600						●		●
180	180	●	●	●	●	●	●	●	●
	200	●	●	●	●	●	●	●	●
	210	●	●	●	●	●	●	●	●
	220								●
	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	320	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●
	450	●	●	●	●	●	●	●	●
	500	●	●	●	●	●	●	●	●
	550								
600						●		●	
190	200								●
	250								●
200	200	●	●	●	●	●	●	●	●
	210								●
	220		●				●		●
	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	320	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●
	420								
	450	●	●	●	●	●	●	●	●
	480								
	500	●	●	●	●	●	●	●	●
	550								
	600		●		●		●		●
650									
700									

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
	●	●	●					160	280
●	●	●	●		●	●	●		300
	●	●	●						320
●	●	●	●		●	●	●		350
	●	●	●						380
●	●	●	●		●	●	●		400
	●	●	●						450
●	●	●	●	●	●	●	●		500
	●	●	●		●	●	●		550
	●	●	●	●	●				600
●	●	●	●		●	●	●	180	
●	●	●	●		●	●	●	200	
●	●	●	●		●	●	●	210	
	●	●	●					220	
●	●	●	●		●	●	●	230	
●	●	●	●		●	●	●	250	
●	●	●	●		●	●	●	280	
●	●	●	●		●	●	●	300	
●	●	●	●		●	●	●	320	
●	●	●	●		●	●	●	350	
●	●	●	●	●	●	●	●	400	
●	●	●	●	●	●	●	●	450	
●	●	●	●	●	●	●	●	500	
	●	●	●	●	●			550	
	●	●	●	●	●	●	●	600	
	●	●	●					190	
●	●	●	●		●	●	●	200	
	●	●	●					250	
	●	●	●					200	
	●	●	●					210	
	●	●	●					220	
●	●	●	●	●	●	●	●	230	
●	●	●	●		●	●	●	250	
●	●	●	●		●	●	●	280	
●	●	●	●		●	●	●	300	
●	●	●	●		●	●	●	320	
●	●	●	●		●	●	●	350	
●	●	●	●		●	●	●	400	
●	●	●	●		●	●	●	420	
●	●	●	●		●	●	●	450	
●	●	●	●		●	●	●	480	
●	●	●	●		●	●	●	500	
	●	●	●		●	●		550	
	●	●	●		●	●	●	600	
		●	●		●	●	●	650	
		●	●		●	●	●	700	

注文方法

PP-SS

160×300×15

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
210	210	●	●	●	●	●	●	●	●
	230								●
	250	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●
	450	●	●	●	●	●	●	●	●
	500	●	●	●	●	●	●	●	●
	600								●
220	220								●
	230								●
	250								●
	280								●
	300								●
	350								●
	400								●
230	230	●	●	●	●	●	●	●	●
	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	380								●
	400								●
	420								●
	450						●		●
	480								●
	500								●
	550								●
	600								●
250	250	●	●	●	●	●	●	●	●
	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	320	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	380								●
	400	●	●	●	●	●	●	●	●
	420								●
	450	●	●	●	●	●	●	●	●
	480								●
	500	●	●	●	●	●	●	●	●
	550						●		●
	600		●		●		●		●
	650								●
	700								●
750								●	

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
●	●	●	●		●	●	●	210	210
	●	●							230
●	●	●	●		●	●	●		250
●	●	●	●		●	●	●		300
●	●	●	●		●	●	●		350
●	●	●	●		●	●	●		400
●	●	●	●		●	●	●		450
●	●	●	●		●	●	●		500
	●	●	●		●	●	●		600
	●	●	●					220	220
	●	●	●						230
	●	●	●						250
	●	●	●						280
	●	●	●						300
	●	●	●		●				350
	●	●	●		●				400
●	●	●	●			●	●	230	230
●	●	●	●			●	●		250
●	●	●	●			●	●		280
●	●	●	●			●	●		300
●	●	●	●		●	●	●		350
	●	●	●		●	●	●		380
	●	●	●		●	●	●		400
	●	●	●		●	●	●		420
	●	●	●		●	●	●		450
	●	●	●		●	●	●		480
	●	●	●		●	●	●		500
	●	●	●		●	●	●		550
		●	●		●	●	●		600
●	●	●	●		●	●	●	250	250
●	●	●	●		●	●	●		280
●	●	●	●		●	●	●		300
●	●	●	●		●	●	●		320
●	●	●	●		●	●	●		350
	●	●	●		●	●	●		380
●	●	●	●		●	●	●		400
	●	●	●		●	●	●		420
●	●	●	●		●	●	●		450
	●	●	●		●	●	●		480
●	●	●	●		●	●	●		500
	●	●	●		●	●	●		550
	●	●	●		●	●	●		600
		●	●		●	●	●		650
		●	●		●	●	●		700
			●		●	●	●	750	

注文方法

PP-SS

210×300×20

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
280	280	●	●	●	●	●	●	●	●
	300	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	400	●	●	●	●	●	●	●	●
	420								
	480								
	500								
	550								
300	300	●	●	●	●	●	●	●	●
	320	●	●	●	●	●	●	●	●
	350	●	●	●	●	●	●	●	●
	380						●	●	●
	400	●	●	●	●	●	●	●	●
	420								
	450	●	●	●	●	●	●	●	●
	480								
	500	●	●	●	●	●	●	●	●
	550				●	●	●	●	●
	600		●		●		●		●
	650								
	700								
	750								
320	350							●	
	400							●	
	420								
	480								
350	350		●		●		●	●	
	380								
	400		●		●		●	●	
	450						●	●	
	480								
	500		●		●		●	●	
	550								
	600		●		●		●		
	650								
700									
750									
380	400								
	450								
	500								
	600								
	700								

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
●	●	●	●	●	●	●	●	280	280
●	●	●	●	●	●	●	●		300
●	●	●	●	●	●	●	●		350
●	●	●	●	●	●	●	●		400
	●	●	●	●	●				420
	●	●	●	●	●				480
	●	●	●	●	●				500
	●	●	●	●	●				550
●	●	●	●	●	●	●	●	300	300
●	●	●	●	●	●	●	●		320
●	●	●	●	●	●	●	●		350
●	●	●	●	●	●	●	●		380
●	●	●	●	●	●	●	●		400
●	●	●	●	●	●	●	●		420
●	●	●	●	●	●	●	●		450
●	●	●	●	●	●	●	●		480
●	●	●	●	●	●	●	●		500
	●	●	●	●	●	●	●		550
	●	●	●	●	●	●	●		600
		●	●	●	●	●	●		650
			●	●	●	●	●		700
				●	●	●	●		750
	●	●	●	●	●			320	350
	●	●	●	●	●				400
	●	●	●	●	●				420
	●	●	●	●	●	●			480
	●	●	●	●	●	●	●	350	350
	●	●	●	●	●	●	●		380
	●	●	●	●	●	●	●		400
	●	●	●	●	●	●	●		450
	●	●	●	●	●	●	●		480
	●	●	●	●	●	●	●		500
	●	●	●	●	●	●	●		550
	●	●	●	●	●	●	●		600
				●	●	●	●		650
					●	●	●	700	
						●	●	750	
	●	●	●	●	●	●	●	380	400
		●	●	●	●	●	●		450
		●	●	●	●	●	●		500
		●	●	●	●	●	●		600
		●	●	●	●	●	●		700

F-SS400

F-SS400

注文方法

PP-SS	280×350×20	N<T寸法許容差変更記号>	5
鋼種	W L T	変更の場合のみ指示。詳細は22ページ参照	枚数

■規格表

幅 W	長さ L	厚さ T							
		8	10	13	15	16	20	22	25
400	400		●		●		●		●
	420								
	450		●		●		●		●
	480								
	500		●		●		●		●
	550								
	600					●		●	
420	450								
	650								
450	450								
	480								
	500								
	550								
	600								
	650								
	700								
480	500								
	550								
	600								
	700								
500	800								
	500				●		●		●
	550								
	600				●		●		●
550	550								
	600								
	700								
	800								
	900								
600	1000								
	600								
	700								
	800								
	900								
700	1000								
	800								
	900								
	1000								

厚さ T								幅 W	長さ L
28	30	35	40	45	50	60	70		
	●	●	●	●	●			400	400
		●	●	●	●	●			420
	●	●	●	●	●				450
			●	●	●	●			480
	●		●						500
			●	●		●			550
	●	●	●	●		●	●		600
				●		●		420	450
					●	●			650
		●	●	●	●	●			450
			●	●	●	●		480	
		●	●	●	●	●		500	
				●	●	●		550	
					●	●		600	
					●	●		650	
					●	●		700	
				●		●		480	500
				●		●			550
				●		●			600
				●		●			700
	●		●	●		●		500	800
				●	●	●			500
	●				●	●			550
				●	●	●		550	600
				●	●	●			700
					●	●			800
					●	●			900
					●	●			1000
					●	●		600	600
					●	●			700
					●	●			800
					●	●			900
					●	●			1000
					●	●		700	800
					●	●			900
					●	●			1000

F-SS400

F-SS400

注文方法

PP-SS

400×450×25

N<T寸法許容差変更記号>

5

鋼種

W

L

T

変更の場合のみ指示。詳細は22ページ参照

枚数